Contents to volume 223

Hypothesis

Maintenance of accuracy during amino acid starvation (FEB 05188) *H. Liljenström* 1

Research Letters

Two major tyrosine protein kinases of resting human T lymphocytes are down-regulated following mitotic stimulation (FEB 05185) *B.S. Hall, A.V. Hoffbrand, R.G. Wickremasinghe* 6

Down-regulation of phorbol diester binding to NG115-401L neuronal cells is dependent on structure, concentration and time (FEB 05187) *R.R. Mattingly, M.L. Dreher, M.R. Hanley* 11

Proteolytic activation of protein kinase C in the extracts of cells treated for a short time with phorbol ester (FEB 05184) *L. Buday, J. Seprödi, G. Farkas, G. Mészáros, T. Romhányi, G. Bánhegyi, J. Mandl, F. Antoni, A. Faragó* 15

Vertical fluctuations of phospholipid acyl chains in bilayers (FEB 05189) *J.R. Wardlaw, W.H. Sawyer, K.P. Ghiggino* 20

Involvement of a 65 kDa phosphoprotein in the regulation of membrane fusion during exocytosis in *Paramecium* cells (FEB 05183) *B. Stecher, B. Höhne, U. Gras, M. Momayezi, R. Glas-Albrecht, H. Plattner* 25

Enzyme and organic solvents: horse liver alcohol dehydrogenase in non-ionic microemulsion: Stability and activity (FEB 05190) *K.M. Lee, J.-F. Biellmann* 33

Identification and characterization of a glutamate dehydrogenase in the unicellular cyanobacterium *Synechocystis* PCC 6803 (FEB 05194) *F.J. Florencio, S. Marqués, P. Candau* 37

Large unilamellar liposomes with low uptake into the reticuloendothelial system (FEB 05191) *T.M. Allen, A. Chonn* 42

Secretion of 5-hydroxytryptamine from electropermeabilised human platelets: Effects of GTP and cyclic 3′,5′-AMP (FEB 05197) *D.E. Knight, M.C. Scrutton* 47

Extracellular ATP induces Ca^{2+} transients in cardiac myocytes which are potentiated by norepinephrine (FEB 05203) *M.B. De Young, A. Scarpa* 53

Hemoglobin Grange-Blanche [β27(B9) Ala→Val], a new variant with normal expression and increased affinity for oxygen (FEB 05192) *F. Baklouti, Y. Giraud, A. Francina, G. Richard, C. Périer, A. Geyssant, J. Jaubert, C. Brizard, J. Delaunay* 59

Sequence and expression of the chicken calcitonin gene (FEB 05193) *S. Minvielle, M. Cressent, M.C. Delehaye, N. Segond, G. Milhaud, A. Jullienne, M.S. Moukhtar, F. Lasmoles* 63

Molecular cloning and sequencing of cDNA for rat cathepsin L (FEB 05199) *K. Ishidoh, T. Towatari, S. Imajoh, H. Kawasaki, E. Kominami, N. Katunuma, K. Suzuki* 69

Sequence of an intestinal cDNA encoding human motilin precursor (FEB 05186) *Y. Seino, K. Tanaka, J. Takeda, H. Takahashi, T. Mitani, M. Kurono, T. Kayano, G. Koh, H. Fukumoto, H. Yano, J. Fujita, N. Inagaki, Y. Yamada, H. Imura* 74

Photooxidation products of primaquine: Structure, antimalarial activity and hemolytic effects (FEB 05195) *A. Brossi, W. Gessner, C.D. Hufford, J.K. Baker, F. Homo, P. Millet, I. Landau* 77

Mechanically induced electrical responses in murine mammary epithelial cells in primary culture (FEB 05201) *K. Enomoto, K. Furuya, T. Maeno, C. Edwards, T. Oka* 82

Identification of Ca^{2+}-stimulated polyphosphoinositide phospholipase C in isolated plant plasma membranes (FEB 05207) *P.-M. Melin, M. Sommarin, A.S. Sandelius, B. Jergil* 87

Amino acid sequence of iron-superoxide dismutase from *Pseudomonas ovalis* (FEB 05208) *T. Isobe, Y.-I. Fang, D. Muno, T. Okuyama, D. Ohmori, F. Yamakura* 92

Site-selective cyclic AMP analogs provide a new approach in the control of cancer cell growth (FEB 05200) *D. Katsaros, G. Tortora, P. Tagliaferri, T. Clair, S. Ally, L. Neckers, R.K. Robins, Y.S. Cho-Chung* 97

Published by Elsevier Science Publishers B.V. (Biomedical Division)
00145793/87/$3.50 © 1987 Federation of European Biochemical Societies

Differential regulation of muscle acetylcholine receptor γ- and ϵ-subunit mRNAs (FEB 05196) *V. Witzemann, B. Barg, Y. Nishikawa, B. Sakmann, S. Numa* 104
Cloning of human muscle phosphofructokinase cDNA (FEB 05204) *H. Nakajima, T. Noguchi, T. Yamasaki, N. Kono, T. Tanaka, S. Tarui* 113
Expression of β-nerve growth factor mRNA in rat glioma cells and astrocytes from rat brain (FEB 05205) *T. Yamakuni, F. Ozawa, F. Hishinuma, R. Kuwano, Y. Takahashi, T. Amano* 117
Inhibition of herpesvirus-induced thymidine kinase and DNA polymerase by β-hydroxynorvaline (FEB 05209) *M.J. Massare, H.A. Blough* 122
Heat shock inactivates a supernatant factor(s) specifically required for efficient expression of the *amp* gene in *Escherichia coli* (FEB 05202) *Y. Kuriki* 127
Regulation and specificity of glucose-stimulated insulin gene expression in human islets of Langerhans (FEB 05210) *P. Hammonds, P.N. Schofield, S.J.H. Ashcroft, R. Sutton, D.W.R. Gray* 131
Primary structures of human protein kinase C βI and βII differ only in their C-terminal sequences (FEB 05213) *K. Kubo, S. Ohno, K. Suzuki* 138
Glutamate acting on NMDA receptors stimulates neurite outgrowth from cerebellar granule cells (FEB 05216) *I.A. Pearce, M.A. Cambray-Deakin, R.D. Burgoyne* 143
Interaction of melittin with negatively charged phospholipids: consequences for lipid organization (FEB 05211) *A.M. Batenburg, J.H. van Esch, J. Leunissen-Bijvelt, A.J. Verkleij, B. de Kruijff* 148
Activity of proteoliposomes containing cytochrome oxidase in the submitochondrial orientation (FEB 05217) *C.E. Cooper, P. Nicholls* 155
Investigations by picosecond polarized fluorescence spectrochronography of structural aspects of energy transfer in living cells of the green bacterium *Chlorobium limicola* (FEB 05214) *Z.G. Fetisova, A.M. Freiberg, K.E. Timpmann* 161
A spectral hole-burning study of long-wavelength chlorophyll *a* forms in greening leaves at 5 K (FEB 05218) *K. Mauring, I. Renge, R. Avarmaa* 165
Cyclic GMP phosphodiesterase from bovine retina: Amino acid sequence of the α-subunit and nucleotide sequence of the corresponding cDNA (FEB 05223) *Yu.A. Ovchinnikov, V.V. Gubanov, N.V. Khramtsov, K.A. Ischenko, V.E. Zagranichny, K.G. Muradov, T.M. Shuvaeva, V.M. Lipkin* 169
All four internally repetitive domains of pig calpastatin possess inhibitory activities against calpains I and II (FEB 05219) *M. Maki, E. Takano, H. Mori, A. Sato, T. Murachi, M. Hatanaka* 174
Primary structure of elongation factor 1γ from *Artemia* (FEB 05220) *G.D.F. Maessen, R. Amons, J.P. Zeelen, W. Möller* 181
Statistics of the photon distribution in the set of photosynthetic antenna domains (FEB 05222) *A.P. Mineyev, A.P. Razjivin* 187
Chiral β and random fractional deuteration for the determination of protein sidechain conformation by NMR (FEB 05226) *D.M. LeMaster* 191
Adenosine derivatives with N^6-alkyl, -alkylamine or -alkyladenosine substituents as probes for the A_1-receptor (FEB 05225) *P.J.M. van Galen, A.P. IJzerman, W. Soudijn* 197

FEBS News

FEBS Officers/General Secretaries 202

Notes to Authors 204

Discussion Letter

Conformational aspects of the reaction mechanisms of polysaccharide lyases and epimerases (FEB 05221) *D.S. Feingold, R. Bentley* 207

Research Letters

The common structure and activities of four subspecies of rat brain protein kinase C family (FEB 05228) *U. Kikkawa, K. Ogita, Y. Ono, Y. Asaoka, M.S. Shearman, T. Fujii, K. Ase, K. Sekiguchi, K. Igarashi, Y. Nishizuka* 212

A common bicyclic protein kinase cascade inactivates the regulatory enzymes of fatty acid and cholesterol biosynthesis (FEB 05229) *D. Carling, V.A. Zammit, D.G. Hardie* 217
Epidermal growth factor as a new regulator of induction of tyrosine aminotransferase and tryptophan oxygenase by glucocorticoids (FEB 05232) *H. Kido, N. Fukusen, N. Katunuma* 223
Differential kinetics of rat insulin I and II processing in rat islets of Langerhans (FEB 05236) *M.L. Gishizky, G.M. Grodsky* 227
Thesaurin a, the major protein of *Xenopus laevis* previtellogenic oocytes, present in the 42 S particles, is homologous to elongation factor EF-1α (FEB 05235) *A. Viel, M.K. Djé, A. Mazabraud, H. Denis, M. le Maire* 232
Progressin: a novel proliferation-sensitive and cell cycle-regulated human protein whose rate of synthesis increases at or near the G_1/S transition border of the cell cycle (FEB 05212) *J.E. Celis, G.P. Ratz, A. Celis* 237
The long 3′-untranslated regions of the PDGF-A and -B mRNAs are only distantly related (FEB 05206) *J. Hoppe, L. Schumacher, W. Eichner, H.A. Weich* 243
The role of adenine nucleotide translocators in regulation of oxidative phosphorylation in heart mitochondria (FEB 05233) *B. Kholodenko, V. Žilinskienė, V. Borutaitė, L. Ivanovienė, A. Toleikis, A. Praškevičius* 247
A ferriprotoporphyrin IX-chloroquine complex promotes membrane phospholipid peroxidation: A possible mechanism for antimalarial action (FEB 05237) *Y. Sugioka, M. Suzuki, K. Sugioka, M. Nakano* 251
Identification of different quaternary structures of beef heart cytochrome-*c* oxidase by two-dimensional polyacrylamide gel electrophoresis (FEB 05224) *M. Heinrichs, H. Schönert* 255
Phosphorylation of brush border myosin by brush border calmodulin-dependent myosin heavy and light chain kinases (FEB 05198) *J.P. Rieker, J.H. Collins* 262
A 32-kDa protein associated with phospholipase A_2-inhibitory activity from human placenta (FEB 05241) *H. Hayashi, M.K. Owada, S. Sonobe, T. Kakunaga, H. Kawakatsu, J. Yano* 267
Nuclear protein(s) binding to the conserved DNA hexameric sequence postulated to regulate transcription of wheat histone genes (FEB 05231) *K. Mikami, T. Tabata, T. Kawata, T. Nakayama, M. Iwabuchi* 273
Evidence for ADP-ribosylation in the mechanism of rapid thyroid hormone control of mitochondria (FEB 05243) *W.E. Thomas, J. Mowbray* 279
Production of superoxide anions by a CNS macrophage, the microglia (FEB 05242) *C.A. Colton, D.L. Gilbert* 284
Bacteriorhodopsin's M_{412} and BR_{605} protein conformations are similar: Significance for proton transport (FEB 05239) *H. Marrero, K.J. Rothschild* 289
Muteins of human interleukin-1 that show enhanced bioactivities (FEB 05238) *J.J. Huang, R.C. Newton, R. Horuk, J.B. Matthew, M. Covington, K. Pezzella, Y. Lin* 294
12-*O*-Tetradecanoylphorbol-13-acetate induces the enhancer function of human T-cell leukemia virus type I (FEB 05254) *M. Fujii, M. Nakamura, K. Ohtani, K. Sugamura, Y. Hinuma* 299
Activation of F_1-ATPase isolated from potato tuber mitochondria (FEB 05244) *E. Glaser, B. Hamasur, B. Norling, B. Andersson* 304
Cross-reconstitution of isolated F_1-ATPase from potato tuber mitochondria with F_1-depleted beef heart and yeast submitochondrial particles (FEB 05245) *B. Norling, B. Hamasur, E. Glaser* 309
Labeling of human erythrocyte membrane proteins by photoactivatable radioiodinated phosphatidylcholine and phosphatidylserine: A search for the aminophospholipid translocase (FEB 05252) *A. Zachowski, P. Fellmann, P. Hervé, P.F. Devaux* 315
Effects of phorbol esters on steroidogenesis in small bovine luteal cells (FEB 05230) *A. Benhaim, M. Herrou, H. Mittre, P. Leymarie* 321
An early intermediate of refolding α-lactalbumin forms within 20 ms (FEB 05246) *R.I. Gilmanshin, O.B. Ptitsyn* 327
Purification and some characteristics of a β-galactoside binding soluble lectin from amphibian ovary (FEB 05133) *N.E. Fink de Cabutti, M. Caron, R. Joubert, M.T. Elola, D. Bladier, J. Herkovitz* 330

Synthesis and absolute configuration of optically pure enantiomers of a κ-opioid receptor selective agonist (FEB 05215) *B. DeCosta, C. George, R.B. Rothman, A.E. Jacobson, K.C. Rice* 335

Isolation and sequence analysis of a cDNA clone encoding a type-1 protein phosphatase catalytic subunit: homology with protein phosphatase 2A (FEB 05240) *N. Berndt, D.G. Campbell, F.B. Caudwell, P. Cohen, E.F. da Cruz e Silva, O.B. da Cruz e Silva, P.T.W. Cohen* 340

Fate of polyoma origin of replication after its direct introduction into mice (FEB 05249) *H. Cohen, N. Benvenisty, L. Reshef* 347

A secretable serine proteinase with highly restricted specificity from cytolytic T lymphocytes inactivates retrovirus-associated reverse transcriptase (FEB 05250) *H.-G. Simon, U. Fruth, M.D. Kramer, M.M. Simon* 352

The preparation and properties of novel reversible polymer-protein conjugates: 2-ω-Methoxypolyethylene (5000) glycoxymethylene-3-methylmaleyl conjugates of plasminogen activators (FEB 05255) *A.J. Garman, S. Barret Kalindjian* 361

Identifying subunits of ATP synthase $TF_0 \cdot F_1$ in contact with phospholipid head groups: α-Subunits are labelled selectively by a new photoreactive phospholipid designed for hydrophilic photolabelling (FEB 05257) *Z. Gao, E. Bäuerlein* 366

A comparative study of the reduction of EPR signal II_{slow} by iodide and the iodo-labeling of the D2-protein in photosystem II (FEB 05258) *Y. Takahashi, S. Styring* 371

Direct observation of the immediate electron donor to chlorophyll-a_{II}^{+} (P-680) in oxygen-evolving photosystem II complexes: Resolution of nanosecond kinetics in the UV (FEB 05259) *S. Gerken, K. Brettel, E. Schlodder, H.T. Witt* 376

Increase of DPH fluorescence polarization during development of *Dictyostelium discoideum* cells (FEB 05256) *R. Thiery, R. Klein, I. Tatischeff* 381

A unique amino acid substitution in the outer membrane protein OmpA causes conjugation deficiency in *Escherichia coli* K-12 (FEB 05263) *G. Ried, U. Henning* 387

Catalytic and noncatalytic nucleotide binding sites of chloroplast F_1 ATPase: Photoaffinity labeling and peptide sequencing (FEB 05260) *Z. Xue, C.G. Miller, J.-M. Zhou, P.D. Boyer* 391

Catalytic and noncatalytic nucleotide binding sites of the *Escherichia coli* F_1 ATPase: Amino acid sequences of β-subunit tryptic peptides labeled with 2-azido-ATP (FEB 05261) *J.G. Wise, B.J. Hicke, P.D. Boyer* 395

Prediction of exposure degree diagram and sites of limited proteolysis in globular proteins as an approach to computer-aided design of protein bioregulators with prolonged action (FEB 05265) *M.A. Rodionov, S.G. Galaktionov, A.A. Akhrem* 402

The calcium-binding property of equine lysozyme (FEB 05264) *K. Nitta, H. Tsuge, S. Sugai, K. Shimazaki* 405

Influence of Mg^{2+} and Ca^{2+} bound to 1,5-IAEDANS-labeled phosphorylated and dephosphorylated heavy meromyosin complexed with F-actin on polarized fluorescence of the fluorophore (FEB 05267) *Yu.S. Borovikov, M. Wrotek, N.B. Aksenova, N.N. Lebedeva, I. Kakol* 409

Inositol trisphosphate accumulation by high K^+ stimulation in cultured adrenal chromaffin cells (FEB 05268) *N. Sasakawa, T. Nakaki, S. Yamamoto, R. Kato* 413

An AG→GG transition at a splice site in the myelin proteolipid protein gene in jimpy mice results in the removal of an exon (FEB 05266) *W.B. Macklin, M.V. Gardinier, K.D. King, K. Kampf* 417

Corrigenda and Errata 423

Author Index 425

Table of Contents 431

Notes to Authors 435

Announcement 438